

公式务必使用公式编辑器编辑

文章题目(二号黑体)

张三, 李四(四号楷体)

(西北工业大学 ###学院, 西安 710072) (小五号, 中文宋体, 西文 Times New Roman)

摘 要(五号, 黑体): #####内 容#####000#####。(五号, 楷体)

关 键 词(五号, 黑体): #####; ##; #####(五号, 楷体, 分号隔开)

中图分类号: XXX 文献标识码: A 文章编号: 1000-2758 (2017) 02-0178-07(五号, 中文黑体, 西文 Times New Roman 百度中图分类号, 按文章方向选择)
(中文摘要部分段落要求: 左侧缩进 2 字符, 右侧也缩进 2 字符)

(正文: 五号, 中文宋体,
西文 Times New Roman)

1 ##### (一级标题: 四号, 中文黑体, 西文 Times New Roman)

1.1 试验方法(二级标题: 五号, 中文黑体, 西文 Times New Roman。三级标题格式: 同正文)

受轴向力作用的两端铰支欧拉梁见图 1, 设初#####

#####




图 1 #####(小五, 宋体)




图 2 #####(图中数值带数据清晰, 数值带上方要有量名称及单位)

表 1 #####(小五, 黑体)

参数名	水平			
	1	2	3	4
#####/V	1 050	1 000	950	900
#####/V	275	250	350	300
####/Pa	35	30	45	40
####/mm	15	20	25	22.5

(表中字体小五, 中文宋体, 西文 Times New Roman)

1.2 试验方案

$$\tilde{k}_n = 3\alpha \tilde{u}^2 \tag{1}$$

齐 公式均用公式编辑器处理, 公式居中, 序号右
变量可用单个字母或单个字母带上下标表示,

部分参考文献示例及说明:

- [1] Peebles P Z Jr. Probability, random variables, and random signal principles[M]. 4th ed. New York: McGraw-Hill, 2001: 15-19.
- [2] Weinstein L, Swartz M N. Pathogenic properties of invading microorganisms[M]//Sodeman W A Jr, Sodeman W A. Pathologic physiology: mechanisms of disease. 5th ed. Philadelphia: Saunders, 1974: 457-472.
- [3] 王利平, 王福新, 刘洪. 过冷大水滴环境粒径分布模拟方法研究进展[J]. 航空学报, 2024, 45(增刊 1): 730570.
Wang Liping, Wang Fuxin, Liu Hong. Research progress on simulation methods of drop diameter distribution in supercooled large drop icing conditions[J]. Acta Aeronautica et Astronautica Sinica, 2024, 45(S1): 730570. (in Chinese)
- [4] Caplan P. Cataloging internet resources[J]. The Public-access Computer Syetems Review, 1993, 4 (2): 61-66.
- [5] Spalart P, Allmaras S. A one-equation turbulence model for aerodynamic flows[C]//30th Aerospace Sciences Meeting and Exhibit, 1992: 439.
- [6] 朱旭. 基于信息一致性的多无人机编队控制方法研究[D]. 西安: 西北工业大学, 2014: 55-58.
Zhu Xu. Research on multi-UAV formation control based on information consensus[D]. Xi'an: Northwestern Polytechnical University, 2014: 55-58. (in Chinese)
- [7] U. S. Department of Transportation Federal Highway Administration. Guidelines for handling excavated acid-producing materials: PB 91-194001[R]. 1990: 25.
- [8] GB/T 3792—2021 信息与文献 资源描述[S].
- [9] 邓一刚. 全智能节电器: CN200610171314. 3[P]. 2008-01-16: 8-9.
- [10] 中国政府网. 国务院办公厅印发《“十四五”现代物流发展规划》[EB/OL]. (2022-05-17)[2022-12-15]. https://www.gov.cn/xinwen/2022-12/15/content_5732146.htm.
- [11] Jenkins S D, Ruostekoski J. Controlled manipulation of light by cooperative response of atoms in an optical lattice[P/OL]. V2. (2012-03-18)[2020-06-24]. <https://doi.org/10.48550/arXiv.1112.6136>.

###English Title### (三号, Times New Roman,加粗)**ZHANG San, LI Si(四号, Times New Roman)**

(School of #####, Northwestern Polytechnical University, Xi'an 710072, China) (小五)

Abstract(五号, Times New Roman, 加粗): #####. (五号, Times New Roman)**Key words:(五 号 , Times New Roman , 加 粗)** Negative stiffness ; Nonlinear systems ;
(五号, Times New Roman, 悬挂缩进)**引用格式:** 张三, 李四. 文章题目[J]. 西北工业大学学报, 2021,39(1): 11-16

ZHANG San, LI Si. English title[J]. Journal of Northwestern Polytechnical University, 2021,39(1): 11-16 (in Chinese)